

Paint, vinyl
miniblinds, lead
pipes and stained
glass are common
sources of lead
exposure in and
around the house.
Just opening and
shutting a window
can produce
harmful dust.
Soil and drinking
water can also be
sources.

***Have your
children tested.
Lead can be deadly.***


KANSAS CHILDHOOD LEAD
PROTECTING
KANSAS KIDS
POISONING PREVENTION PROGRAM

www.kdhe.state.ks.us/lead

To find out if your child is high risk call:

316-268-8441

**Wichita-Sedgwick County
HEALTH DEPARTMENT**



**Pintura,
minilinds de
vinilo, tubos de
plomo y vidrio de
color son causas
comunes que
exponen un
riesgo de
intoxicacion de
plomo en y
alrededor de la
casa: Solamente
abrir y cerrar
una ventana
puede producir
polvo danoso.
Tierra y agua de
beber tambien
puede ser causas.**

***Tengan sus hijos
examinados.
Plomo puede
ser letal.***

KANSAS CHILDHOOD LEAD
PROTECTING
KANSAS KIDS
POISONING PREVENTION PROGRAM

www.kdhe.state.ks.us/lead

Para descubrir si su hijo esta en peligro llamen a:

316-268-8441

**Wichita-Sedgwick County
HEALTH DEPARTMENT**



**She doesn't know
her home
contains lead.
Do You?**

Symptoms of lead poisoning may not be obvious . . . but if a child actually shows symptoms, the level of poisoning is advanced. High blood levels are associated with decreased intelligence, mental retardation and hyperactivity, hearing problems, behavior problems & learning problems. Children with high blood lead levels may have poor appetites, stomach aches, vomiting, constipation, crankiness, loss of energy, headaches, and trouble sleeping. Very high levels can cause coma and convulsions.

**Have your
children
tested.**

**Lead can
be deadly.**

316-268-8441
Wichita-Sedgwick County
HEALTH DEPARTMENT

KANSAS CHILDHOOD LEAD
PROTECTING
KANSAS KIDS
TOXIC SUBSTANCE PREVENTION PROGRAM

www.kdhe.state.ks.us/lead



Ella no sabe que su casa contiene plomo. ¿Usted?

Sintomas de venenoso de plomo no sera obio . . . pero si un nino actual mente ensena sintomas, el nivel de veneno es evidente. Alta nevel de sangre esta associado con intellegiencia baja, retardacion mental y de masiado activa, problemas escuchary problemas aprender. Ninos con nivel delta de sangre que tiene plomo puede tener falta de apetito, dolorde estomago, vomitos, estrinimiento, coraje, perdida de ernejia, dolor de cabezas, y problemas dor miendo. Muy alto nivel puede causar coma y convulsior.

**Lleva a tus ninos
a chequier.
Plomo puede
ser fatal.**

316-268-8441
Wichita-Sedgwick County
HEALTH DEPARTMENT



www.kdhe.state.ks.us/lead